



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/518,973

07/29/2005

Takayuki Miura

SONYJP 3.3-373

2910

530 7590 04/01/2009
LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK
600 SOUTH AVENUE WEST
WESTFIELD, NJ 07090

EXAMINER

SMITHERS, MATTHEW

ART UNIT

PAPER NUMBER

2437

MAIL DATE

DELIVERY MODE

04/01/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/518,973	Applicant(s) MIURA ET AL.	
	Examiner Matthew B. Smithers	Art Unit 2437	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 December 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 December 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☒ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>12/21/04</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Information Disclosure Statement

The information disclosure statement filed December 21, 2004 has been placed in the application file and the information referred to therein has been considered as to the merits.

Priority

Acknowledgment is made of applicant's claim for foreign priority based on an application filed in Japan on April 21, 2003. It is noted, however, that applicant has not filed a certified copy of the P2003-115755 application as required by 35 U.S.C. 119(b).

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-19 are rejected under 35 U.S.C. 102(e) as being anticipated by US

7,317,798 granted to Saito

The applied reference has a common assignee with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Regarding claim 1, Saito meets the claimed limitations as follows:

"A device authentication system comprising a terminal device including confidential information for device authentication and an authentication server for granting device authentication to the terminal device using the confidential information, wherein the terminal device acquires a random number and generates a conversion value by converting a set of the acquired random number and the confidential information using a one-way function; the authentication server acquires the random number acquired by the terminal device, the confidential information of the terminal device, and the conversion value generated by the terminal device; a conversion value is generated by converting the set of the acquired random number and the confidential information using the same one-way function as that used by the terminal device; and the conversion value generated by the terminal device is compared with the conversion value generated by the authentication server." see column 13, line 14 to column 14, line 7 and Figures 18 and 19.

Regarding claim 2, Saito meets the claimed limitations as follows:

Art Unit: 2437

“The terminal device that is granted device authentication in the device authentication system according to claim 1, comprising: reception means for receiving from the authentication server a random number and random-number identification information for identifying the random number; conversion means for generating a conversion value by converting a set of the received random number and the confidential information using a one-way function; and transmission means for transmitting the generated conversion value, the received random-number identification information, and confidential-information identification information for identifying the confidential information in the authentication server.” see column 13, line 14 to column 14, line 7 and Figures 18 and 19.

Regarding claim 3, Saito meets the claimed limitations as follows:

“The authentication server for granting device authentication to the terminal device according to claim 2, comprising: random-number acquisition means for acquiring a random number; transmission means for transmitting to the terminal device the acquired random number and random-number identification information for identifying the random number; reception means for receiving from the terminal device a conversion value, the random-number identification information, and confidential-information identification information; random-number identification means for identifying the random number transmitted to the terminal device using the received random-number identification information; confidential-information identification means for identifying the confidential information of the device terminal using the received confidential-information identification information; conversion means for generating a conversion

Art Unit: 2437

value by converting a set of the identified confidential information and the random number using the same one-way function as that used by the terminal device; and device authentication means for granting device authentication to the terminal device using the received conversion value and the generated conversion value.” see column 13, line 14 to column 14, line 7 and Figures 18 and 19.

Regarding claim 4, Saito meets the claimed limitations as follows:

“A service server included in the device authentication system according to claim 1, the service server providing a service to the terminal device via device authentication by the authentication server, the service server comprising: random-number acquisition means for acquiring a random number; random-number transmission means for transmitting the acquired random number to the terminal device; reception means for receiving from the terminal device a conversion value generated using the confidential information and confidential-information identification information; random-number identification means for identifying the random number transmitted to the terminal device; authentication-information transmission means for transmitting, to the authentication server, authentication information including the received conversion value, the confidential-information identification information, and the identified random number; and authentication-result reception means for receiving from the authentication server a result of authentication based on the transmitted authentication information.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 5, Saito meets the claimed limitations as follows:

Art Unit: 2437

“The terminal device receiving a service from the service server according to claim 4, comprising: random-number reception means for receiving a random number from the service server; conversion means for generating a conversion value by converting a set of the received random number and the confidential information by the use of a one-way function; and transmission means for transmitting the generated conversion value and confidential-information identification information for identifying the confidential information in the authentication server.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 6, Saito meets the claimed limitations as follows:

“The authentication server for granting device authentication to the device terminal when the service server according to claim 4 provides a service, the authentication server comprising: reception means for receiving, from the service server, authentication information including a conversion value, confidential-information identification information, and a random number; confidential-information identification means for identifying the confidential information of the terminal device by the use of the received confidential-information identification information; conversion means for generating a conversion value by converting a set of the received random number and the identified confidential information by the use of the same one-way function as that used by the terminal device; and device authentication means for granting device authenticating to the terminal device by the use of the received conversion value and the generated conversion value.” see column 13, line 14 to column 14, line 26; column

Art Unit: 2437

18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 7, Saito meets the claimed limitations as follows:

“A terminal device method used by the terminal device that is granted device authentication in the device authentication system according to claim 1, the terminal device including a computer having reception means, conversion means, and transmission means, the terminal device method comprising: a reception step of receiving from the authentication server a random number and random-number identification information for identifying the random number by the reception means; a conversion step of generating a conversion value by converting a set of the received random number and the confidential information using a one-way function by the conversion means; and a transmission step of transmitting the generated conversion value, the received random-number identification information, and confidential-information identification information for identifying the confidential information in the authentication server by the transmission means.” see column 13, line 14 to column 14, line 7 and Figures 18 and 19.

Regarding claim 8, Saito meets the claimed limitations as follows:

“An authentication method used by the authentication server for granting device authentication to the terminal device according to claim 2, the authentication server including a computer having random-number acquisition means, transmission means, reception means, random-number identification means, confidential-information identification means, conversion means, and device authentication means, the

Art Unit: 2437

authentication method comprising: a random-number acquisition step of acquiring a random number by the random-number acquisition means; a transmission step of transmitting to the terminal device the acquired random number and random-number identification information for identifying the random number by the transmission means; a reception step of receiving from the terminal device a conversion value, the random-number identification information, and confidential-information identification information by the reception means; a random-number identification step of identifying the random number transmitted to the terminal device using the received random-number identification information by the random-number identification means; a confidential-information identification step of identifying the confidential information of the device terminal using the received confidential-information identification information by the confidential-information identification means; a conversion step of generating a conversion value by converting a set of the identified confidential information and the random number using the same one-way function as that used by the terminal device by the conversion means; and a device authentication step of granting device authentication to the terminal device using the received conversion value and the generated conversion value by the device authentication means.” see column 13, line 14 to column 14, line 7 and Figures 18 and 19.

Regarding claim 9, Saito meets the claimed limitations as follows:

“An authentication method used by the service server according to claim 4, the service server including a computer having random-number acquisition means, random-number transmission means, reception means, random-number identification means,

Art Unit: 2437

authentication-information transmission means, and authentication-result reception means, the authentication method comprising: a random-number acquisition step of acquiring a random number by the random-number acquisition means; a random-number transmission step of transmitting the acquired random number to the terminal device by the random-number transmission means; a reception step of receiving from the terminal device a conversion value generated using the confidential information and confidential-information identification information by the reception means; a random-number identification step of identifying the random number transmitted to the terminal device by the random-number identification means; an authentication-information transmission step of transmitting, to the authentication server, authentication information including the received conversion value, the confidential-information identification information, and the identified random number by the authentication-information transmission means; and an authentication-result reception step of receiving from the authentication server a result of authentication based on the transmitted authentication information by the authentication-result reception means.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 10, Saito meets the claimed limitations as follows:

“A terminal device method used by the terminal device receiving a service from the service server according to claim 4, the terminal device including a computer having random-number reception means, conversion means, and transmission means, the terminal device method comprising: a random-number reception step of receiving a

Art Unit: 2437

random number from the service server by the random-number reception means; a conversion step of generating a conversion value by converting a set of the received random number and the confidential information by the use of a one-way function by the conversion means; and a transmission step of transmitting the generated conversion value and confidential-information identification information for identifying the confidential information in the authentication server by the transmission means.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 11, Saito meets the claimed limitations as follows:

“An authentication method used by the authentication server for granting device authentication to the device terminal when the service server according to claim 4 provides a service, the authentication server including a computer having reception means, confidential-information identification means, conversion means, and device authentication means, the authentication method comprising: a reception step of receiving, from the service server, authentication information including a conversion value, confidential-information identification information, and a random number by the reception means; a confidential-information identification step of identifying the confidential information of the terminal device by the use of the received confidential-information identification information by the confidential-information identification means; a conversion step of generating a conversion value by converting a set of the received random number and the identified confidential information by the use of the same one-way function as that used by the terminal device by the conversion means;

Art Unit: 2437

and a device authentication step of granting device authenticating to the terminal device by the use of the received conversion value and the generated conversion value by the device authentication means.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 12, Saito meets the claimed limitations as follows:

“A terminal device program in the terminal device that is granted device authentication in the device authentication system according to claim 1, the terminal device including a computer, the terminal device program realizing: a reception function for receiving from the authentication server a random number and random-number identification information for identifying the random number; a conversion function for generating a conversion value by converting a set of the received random number and the confidential information using a one-way function; and a transmission function for transmitting the generated conversion value, the received random-number identification information, and confidential-information identification information for identifying the confidential information in the authentication server.” see column 13, line 14 to column 14, line 7 and Figures 18 and 19.

Regarding claim 13, Saito meets the claimed limitations as follows:

“An authentication program in the authentication server for granting device authentication to the terminal device according to claim 2, the authentication server including a computer, the authentication program realizing: a random-number acquisition function for acquiring a random number; a transmission function for

Art Unit: 2437

transmitting to the terminal device the acquired random number and random-number identification information for identifying the random number; a reception function for receiving from the terminal device a conversion value, the random-number identification information, and confidential-information identification information; a random-number identification function for identifying the random number transmitted to the terminal device using the received random-number identification information; a confidential-information identification function for identifying the confidential information of the device terminal using the received confidential-information identification information; a conversion function for generating a conversion value by converting a set of the identified confidential information and the random number using the same one-way function as that used by the terminal device; and a device authentication function for granting device authentication to the terminal device using the received conversion value and the generated conversion value.” see column 13, line 14 to column 14, line 7 and Figures 18 and 19.

Regarding claim 14, Saito meets the claimed limitations as follows:

“A service server program in the service server according to claim 4, the service server including a computer, the service server program realizing: a random-number acquisition function for acquiring a random number; a random-number transmission function for transmitting the acquired random number to the terminal device; a reception function for receiving from the terminal device a conversion value generated using the confidential information and confidential-information identification information; a random-number identification function for identifying the random number transmitted to

Art Unit: 2437

the terminal device; an authentication-information transmission function for transmitting, to the authentication server, authentication information including the received conversion value, the confidential-information identification information, and the identified random number; and an authentication-result reception function for receiving from the authentication server a result of authentication based on the transmitted authentication information.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 15, Saito meets the claimed limitations as follows:

“A terminal device program in the terminal device receiving a service from the service server according to claim 4, the terminal device including a computer, the terminal device program realizing: a random-number reception function for receiving a random number from the service server; a conversion function for generating a conversion value by converting a set of the received random number and the confidential information by the use of a one-way function; and a transmission function for transmitting the generated conversion value and confidential-information identification information for identifying the confidential information in the authentication server.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 16, Saito meets the claimed limitations as follows:

“An authentication program in the authentication server for granting device authentication to the device terminal when the service server according to claim 4

Art Unit: 2437

provides a service, the authentication server including a computer, the authentication program realizing: a reception function for receiving, from the service server, authentication information including a conversion value, confidential-information identification information, and a random number; a confidential-information identification function for identifying the confidential information of the terminal device by the use of the received confidential-information identification information; a conversion function for generating a conversion value by converting a set of the received random number and the identified confidential information by the use of the same one-way function as that used by the terminal device; and a device authentication function for granting device authenticating to the terminal device by the use of the received conversion value and the generated conversion value.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 17, Saito meets the claimed limitations as follows:

“A computer-readable recording medium including the device terminal program according to claim 12 or claim 15.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 18, Saito meets the claimed limitations as follows:

“A computer-readable recording medium including the authentication program according to claim 13 or claim 16.” see column 13, line 14 to column 14, line 26; column 18, line

Art Unit: 2437

30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Regarding claim 19, Saito meets the claimed limitations as follows:

“A computer-readable recording medium including the service server program according to claim 14.” see column 13, line 14 to column 14, line 26; column 18, line 30 to column 19, line 4; column 19, line 35 to column 20, line 28 and Figures 18, 19, 21 and 22.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

A. Wakayama (US 20050144484).

B. Zilliacus et al (US 6,915,272).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew B. Smithers whose telephone number is (571) 272-3876. The examiner can normally be reached on Monday-Friday (8:00-4:30) EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel L. Moise can be reached on (571) 272-3865. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2437

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Matthew B Smithers/
Primary Examiner, Art Unit 2437